

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	63	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (start or send or transmit accept) adj2 (record or account or accounting) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/12/17 13:57
L2	795	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (LDAP or "lightweight directory access protocol") (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/12/17 13:57
L3	180	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (LDAP or "lightweight directory access protocol") (@ad<"20031010" OR @rlad<"20031010") (RADIUS or "remote authentication dial in user service" or TACACS or "terminal access controller access-control system" or "terminal access controller access control system")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/12/17 13:57
L4	180	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (LDAP or "lightweight directory access protocol") (@ad<"20031010" OR @rlad<"20031010") (RADIUS or "remote authentication dial in user service" or TACACS or "terminal access controller access-control system" or "terminal access controller access control system")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/12/17 13:57

L5	128	((AAA or authentication or authorization) WITH server) RADIUS (log or logging or record) (session WITH start) (@ad<"20031010" OR @rlad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/12/17 13:57
S1	3171	709/229.ccls. (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/25 14:29
S2	10727	((AAA or authentication or authorization or accounting) WITH server) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/25 14:29
S3	4845	((AAA or authentication or authorization) WITH server) (accounting OR log OR logging) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/25 14:31
S4	6545	((AAA or authentication or authorization) WITH server) (accounting OR log OR logging or record) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 13:41
S5	4956	((AAA or authentication or authorization or accounting) WITH server) (log OR logging) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/25 14:35
S6	3761	((AAA or authentication or authorization or accounting) WITH server) (log OR logging) record (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/25 14:35
S7	8144	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/25 14:35
S8	668	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (LDAP or "lightweight directory access protocol")(@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/25 14:36

S9	154	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (LDAP or "lightweight directory access protocol") (@ad<"20031010" OR @rlad<"20031010") (RADIUS or "remote authentication dial in user service" or TACACS or "terminal access controller access-control system" or "terminal access controller access control system")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/25 14:48
S10	180	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (LDAP or "lightweight directory access protocol") (@ad<"20031010" OR @rlad<"20031010") (RADIUS or "remote authentication dial in user service" or TACACS or "terminal access controller access" or "TACACS+" or SAML or "security assertion markup language" or "Diameter")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/26 12:46
S11	1	("7088681").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2007/07/25 16:12
S12	82	((AAA OR (authentication WITH authorization WITH accounting)) WITH server) (log OR logging or record or store) (LDAP or "lightweight directory access protocol") (@ad<"20031010" OR @rlad<"20031010") (RADIUS or "remote authentication dial in user service" or TACACS or "terminal access controller access" or "TACACS+" or SAML or "security assertion markup language" or "Diameter")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/26 13:21
S13	1	("20040258031").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2007/07/26 14:19

S14	1	("20030035409").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2007/07/26 14:19
S15	1288	((AAA or authentication or authorization) WITH server) RADIUS (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 13:43
S16	3355	709/229.ccls. (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 13:42
S17	1047	((AAA or authentication or authorization) WITH server) RADIUS (log or logging or record) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 13:44
S18	128	((AAA or authentication or authorization) WITH server) RADIUS (log or logging or record) (session WITH start) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 13:45
S19	112	((AAA or authentication or authorization) WITH server) RADIUS (log or logging or record) (session WITH start) (@ad<"20031010" OR @rlad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 13:46
S20	70	(AAA) RADIUS (log or logging or record) (session WITH start) (@ad<"20031010" OR @rlad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 14:01
S21	41	(AAA) RADIUS (log or logging or record) (session WITH start) accept (@ad<"20031010" OR @rlad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 14:03
S22	31	(AAA) RADIUS (log or logging or record) (session WITH start) accept (@ad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 15:26
S23	1	("20020046277").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/01/18 14:20

S24	223	(AAA) RADIUS (log or logging or record) session accept (@ad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 15:29
S25	42	(AAA) RADIUS (log or logging or record) session SAME start accept (@ad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 15:29
S26	248678	(AAA) RADIUS (log or logging or record) stateless start OR accept (@ad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 15:48
S27	5291	((AAA or (authentication with authorization with accounting))) (log or logging or logged) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 15:50
S28	11	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS stateless (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 15:50
S29	69	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (start or send or transmit) adj3 (record or account or accounting) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 15:55
S30	59	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (start or send or transmit accept) adj2 (record or account or accounting) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 16:52
S31	1	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (accept) adj2 (record) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 17:07

S32	7	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (accept or message) with ("account record" or "accounting record") (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 17:10
S33	5	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (accept or message) with ("account record" or "accounting record") (@ad<"20031010" OR @rlad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 17:12
S34	4	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (accept or message) with ("account record" or "accounting record") (@ad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 17:13
S35	25	((AAA or (authentication with authorization with accounting))) (log or logging or logged) stateless (@ad<"20031010" OR @rlad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 17:27
S36	0	("6947725.pn.").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/06/12 17:28
S37	1	("6947725").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/06/12 17:29
S38	1	((AAA or (authentication with authorization with accounting))) (log or logging or logged) stateless (@ad<"20031010" OR @rlad<"20031010") not cisco.as. "6947725".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/13 14:36
S39	3707	709/229.ccls. (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/12/16 16:20

S40	12571	((AAA or authentication or authorization or accounting) WITH server) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/12/16 16:20
-----	-------	---	--------------------------------------	-----	----	------------------

12/17/08 1:58:27 PM

C:\Documents and Settings\ntaylor5\My Documents\EAST\Workspaces\app10.683918.wsp